



Oil and Steel Eagle S2618



eagle s 2618



traverse totalmente aperte / totally extended supports /
soportes totalmente extendidos / bequilles totalement
ouverts / querträger vollständig ausgefahren / volledig
open steunen / полностью разложенные аутригеры




























traverse chiuse / closed supports / soportes cerrados
/ traverses fermées / querträger geschlossen /
gesloten steunen / сложенные аутригеры





HOISTLINE

ACCESS SPECIALISTS

WWW.HOISTLINE.COM

	26 m (120 kg - кг)		26 m (200 kg - кг)		26 m (280 kg - кг)
	24 m (120 kg - кг)		24 m (200 kg - кг)		24 m (280 kg - кг)
	18 m (120 kg - кг)		16 m (200 kg - кг)		15 m (280 kg - кг)
	120 - 200 / 280 kg / 1 - 2 - 3 operatori 120 - 200 / 280 kg - 1 - 2 - 3 operators 120 - 200 / 280 kg - 1 - 2 - 3 operarios 120 - 200 / 280 kg - 1 - 2 - 3 opérateurs 120 - 200 / 280 kg - 1 - 2 - 3 bediener 120 - 200 / 280 kg - 1 - 2 - 3 personen 120 - 200 / 280 кг - 1 - 2 - 3 оператора				idraulici su traverse estensibili idrauliche hydraulic on extensible hydraulic supports hidráulicos sobre soportes hidráulicos extensibles hydrauliques sur traverses extensibles hydrauliques hydraulisch ausfahrbaren querträgern hydraulisch op uitschuifbare hydraulische steunen гидравлические на гидравлических раздвижных аутригерах
	720° (360° sx +360° dx)				12 m/s
	2300x1000x h1150 mm alluminio 2300x1000x h1150 mm aluminium 2300x1000x h1150 mm aluminio 2300x1000x h1150 mm aluminium 2300x1000x h1150 mm alu 2300x1000x h1150 mm aluminium 2300x1000x h1150 mm алюминиевая				24 v
	160° (85° sx + 75° dx)				120 l
	elettroidraulici sensibilizzati electrohydraulic sensitised electrohidráulico sensibilizados electrohydrauliques sensibilisées elektrohydraulisch sensibilisiert elektro-hydraulisch gesensibiliseerd электрогидравлические чувствительные				3400 mm
	telescopico a 2 sezioni in acciaio 2 sections telescopic steel telescopico 2 secciones acero télescopique avec 2 sections en acier teleskop mit 2 segmenten aus stahl telescopisch 2-delig van staal телескопического типа, с 2 стальными секциями				6760 mm
	telescopico a 2 sezioni in acciaio 2 sections telescopic steel telescopico 2 secciones acero télescopique avec 2 sections en acier teleskop mit 2 segmenten aus stahl telescopisch 2-delig van staal телескопического типа, с 2 стальными секциями				2300 mm
	a 1 sezione 1 section 1 sección avec 1 section a 1 querschnitt 1-delig с 1 секцией				10 t



eagle s 2618



WWW.HOISTLINE.COM

Hire Machine or Arrange Service Job

By Visiting

www.hoistline.com

By Emailing

bookahoist@gmail.com

By Phoning

01624-618-999

Quote

Oil and Steel Eagle
S2618